



Product Service

Attestation of Conformity

No. N8 13 07 85494 002

Holder of Certificate: Visel Paneles SA

Calle 50
Corregimiento San Francisco, Edificio los Leones P/8
0816-07546 Ciudad de Panamá
PANAMA

Product:

**Crystalline Silicon Terrestrial Photovoltaic (PV) Modules
[Mono-crystalline Silicon Photovoltaic (PV) Module]**

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2006/95/EC relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive. It refers only to the particular sample submitted for testing and certification. See also notes overleaf.

Test report no.: 68180904711D

Date, 2013-08-06


(Harry Shubo Zhang)



After preparation of the necessary technical documentation as well as the EC conformity declaration the required CE marking can be affixed on the product. Other relevant directives have to be observed.

Page 1 of 3



Product Service

Attestation of Conformity
No. N8 13 07 85494 002

Model(s):

VS285-72M, VS290-72M, VS295-72M, VS300-72M,
VS305-72M, VS310-72M, VS315-72M;
VS235-60M, VS240-60M, VS245-60M, VS250-60M,
VS255-60M, VS260-60M, VS265-60M;
VS210-54M, VS215-54M, VS220-54M, VS225-54M,
VS230-54M, VS235-54M;
VS140-36M, VS145-36M, VS150-36M, VS155-36M;
VS225-96M, VS235-96M, VS240-96M, VS245-96M,
VS250-96M, VS255-96M, VS260-96M, VS265-96M,
VS270-96M, VS275-96M;
VS175-72M, VS180-72M, VS185-72M, VS190-72M,
VS195-72M, VS200-72M, VS205-72M;
VS145-60M, VS150-60M, VS155-60M, VS160-60M,
VS165-60M, VS170-60M;
VS130-54M, VS135-54M, VS140-54M, VS145-54M,
VS150-54M, VS155-54M;
VS90-36M, VS95-36M, VS100-36M

Parameters:

Application class:	Class A
Max. system voltage:	1000V DC
Test Laboratory:	Yangzhou Opto-Electrical Products Testing Institute No. 10 West Kaifa Road, Yangzhou, 225009 Jiangsu, P. R. China
Construction:	Framed, with Junction box, cable and connectors.
Rated Output Power at STC:	See page 3

**Tested
according to:**

EN 61730-1:2007
EN 61730-2:2007



Product Service

Attestation of Conformity

No. N8 13 07 85494 002

Model	Rated output power at STC
VS285-72M, VS290-72M, VS295-72M, VS300-72M, VS305-72M, VS310-72M, VS315-72M	285 W, 290 W, 295 W, 300 W, 305 W, 310 W, 315 W
VS235-60M, VS240-60M, VS245-60M, VS250-60M, VS255-60M, VS260-60M, VS265-60M	235 W, 240 W, 245 W, 250 W, 255 W, 260 W, 265 W
VS210-54M, VS215-54M, VS220-54M, VS225-54M, VS230-54M, VS235-54M	210 W, 215 W, 220 W, 225 W, 230 W, 235 W
VS140-36M, VS145-36M, VS150-36M, VS155-36M	140 W, 145 W, 150 W, 155 W
VS225-96M, VS235-96M, VS240-96M, VS245-96M, VS250-96M, VS255-96M, VS260-96M, VS265-96M, VS270-96M, VS275-96M	225 W, 235 W, 240 W, 245 W, 250 W, 255 W, 260 W, 265 W, 270 W, 275 W
VS175-72M, VS180-72M, VS185-72M, VS190-72M, VS195-72M, VS200-72M, VS205-72M	175 W, 180 W, 185 W, 190 W, 195 W, 200 W, 205 W
VS145-60M, VS150-60M, VS155-60M, VS160-60M, VS165-60M, VS170-60M	145 W, 150 W, 155 W, 160 W, 165 W, 170 W
VS130-54M, VS135-54M, VS140-54M, VS145-54M, VS150-54M, VS155-54M	130 W, 135 W, 140 W, 145 W, 150 W, 155 W
VS90-36M, VS95-36M, VS100-36M	90 W, 95 W, 100 W

Page 3 of 3